Author Index Volume 16

Abildskov, J.A., 1
Abinader, E.G., 87
Abboud, S., 245, 397
Abdulla, A.M., 73
Adaniya, H., 123
Aizawa, Y., 303
Akhtar, M., 269
Almeida, A., 345
Alpert, J.S., 161
Anderson, G.J. 133,191
Apkarian, O.A., 29
Araoye, M.A., 141
Ari, R., 141
Arthur, R.M., 235
Barker-Voelz, M.A., 167
Baute, A.V., 73
Belhassen, B., 245, 397
Bernard, P., 97
Bexton, R.S., 313
Blanchard, W., 223
Bonner, R.E., 181
Boudoulas, H., 91
Bourassa, M.G., 213
Bourland, J.D., 167
Bunster, A.M., 29
Burema, J., 77
Burggraf, G.W., 141
Camm, A.J., 313
Canedo, M.I., 73
Capacci, F., 351
Casale, P.N., 15
Case, R.B., 105
Casta, A., 331
Cecchetti, A.A., 53
Cha, S.D., 59
Chabot, M., 97
Chaitman, B.R., 97
Church, K.E., 263
Cinelli, P., 351
Citi, S., 351
Clement, D.L., 307
Coppola, E., 287
Cory-Pearce, R., 313
Crevasse, L.E., 181
Cruz, J., 345
Cunha, D., 345
Curtiss, E.I., 53
da Conceição, J.M., 345
Dainese, F., 385
De Backer, G.G., 307
de Leonardis, V., 351
Delise, P., 385
Denker, S.T., 269
De Scalzi, M., 351
de Sousa, T., 345
D'Este, D., 385
Devereux, R.B., 15
Digaetano, A., 287
Di Pede, F., 385
Dramaix, M.M., 307
Duca, P., 297
Economou, D., 409
Eisenberg, R.R., 15
Engel, T.R., 325
English, T.A.H., 313
Erné, S.N., 355
Fanelli, R., 287
Fenici, R.R., 355
Ferrer, M.I., 181
Fletcher, R.D., 141
Flinn, C.J., 331
Flugelman, M.Y., 87
Foye, R., 29
Frank, M.J., 73
Friedland, L.B., 73
Fukumoto, T., 339
Geary, G.G., 223
Geddes, L.A., 167
Gelband, H., 41, 331
Geleris, P., 91
Gilbert, C.J., 269
Glover, M.U., 367
Gooch, A.S., 59
Goto, J., 45
Gottlieb, R., 297
Gratema, H., 161
Greenfield, J.C., Jr., 181
Greenspan, M., 133
Guccione, P., 287
Hagan, A.D., 367
Hahlbohm, H.-D., 355
Hellestrand, K.J., 313
Hiraoka, M., 123, 151
Holt, J.H., 379
Hosokawa, O., 303
Ikeda, N., 403
Infantino, S., 287
Jouve, R., 417
Kanter, Y., 87
Kasparian, H., 297
Katz, R.J., 141
Kawano, S., 151
Kilman, J.W., 363
Kimura, M., 23
Kinoshita, S., 7
Kirschbaum, M., 59
Kligfield, P.D., 15
Kornitzer, M., 307
Kuroiwa, A., 339
Langlet, F., 417
Laniado, S., 397
Lehmann, H.P., 355
Lehmann, M.H., 105
Leier, C.V., 91, 363
Lesperance, J., 213
Lewis, R.P., 91
Locreille, A., 29
Loperfido, F., 287
Lopez, E.A., Jr., 141
Lucangeli, F., 385
Macieira-Coelho, E., 345
May, J.F., 77
Mazzoleni, A., 367
McCans, J.L., 141
McNamara, J.J., 223
Mehta, A.V., 331
Merdler, A., 87
Miller, D.H., 15
Milliken, J.A., 141, 199
Mirvis, D., 113, 279
Miyahara, H., 403
Mohan, K.B., 59
Mongiardo, R., 287
Monteiro, F., 345
Morikawa, M., 303
Morohoshi, Y., 403
Moulopoulos, S.D., 409
Musselman, E.E., 253, 263
Nakashima, Y., 339
Nanas, J.N., 409
Nishimura, F., 23
Ogino, T., 23
Okada, M., 23
Ortega-Carnicer, J., 419
Ozawa, T., 303
Papa, L.A., 297
Pape, L.A., 161
Paraskos, J.A., 161
Pascotto, P., 385
Paylos, J., 419
Pelleg, A., 397
Pennestri, F., 287
Perosio, A.M., 29
Phillips, M.C., 15
Piccolo, E., 385
Pickering, N.J., 325
Pipberger, H., 141
Pipberger, H.V., 141
Postma, D.S., 77
Puddu, P.E., 213, 417
Ramos, A., 41
Raviele, A., 385
Reisser, J., 191
Roelofs, T.H., 223
Ruf, W., 223
Sadeh, D., 245, 397
Sato, T., 403
Sawanobori, T., 151
Scariato, A., 297
Schaal, S.F., 91
Scholl, J-M., 97
Schollmeyer, M.P., 167
Scott, C.C., 363
Senda, Y., 339
Shenasa, M., 269
Shibata, A., 303
Shibuya, T., 303
Sideris, D.A., 409
Silver, A.M., 141
Sluiter, H.J., 77
Smit, J.M., 77
Smith, G.T., 223
Smith, K.G., 331
Spurrell, R.A.J., 313
Steenhuis, E.J., 77
Stefadouros, M.A., 73
Suarez, L.D., 29
Tacker, W.A., Jr., 167
Tamer, D., 331
Torresani, J., 417
Toyama, J., 45
Trontelj, Z., 355
Tsutsumi, T., 1
Unverferth, D.V., 363
Val, P.G., 97
Vallazza, M.A., 29
Van Vleet, J.F., 167
Vasko, J.S., 363
Vemmos, C., 409
Vieweg, W.V.R., 367
Walker, W.S., 161
Waters, D.D., 213
Wolff, G.S., 41, 331
Woods, J.B., 379
Woods, W.T., 379
Wyatt, R.F., 1
Yamada, K., 45
Yamagami, J., 403
Yoshino, H., 23
Zenner, R., 307

Subject Index Volume 16

A

Accrochage
unusual atrial potentials in a cardiac transplant recipient. Possible synchronization between donor and recipient atria, 3:313-322

Ambulatory monitoring
comparison between electrophysiologic studies and, in patients with syncope, 1:91-96

Amiodarone
pre-excitation syndrome and hypertrophic cardiomyopathy, 1:29-40

Angiography
atrial coronary angiography, tachyarrhythmias and the Ta segment, 4:325-330

Animal Studies
computer analysis of the non-angular parameters of the QRSsÊ loop and orthogonal lead QRS characteristics in necropsy-verified normal dogs, 3:263-268
computer analysis of the spatial angular parameters of the canine QRSsÊ loop from necropsy-verified normal dogs, 3:253-262
correlation between divalent cation concentration and electrocardiogram during myocardial ischemia in the dog, 4:379-384
effects of thoracotomy on volume conductor properties of the canine torso, 3:279-286
function of the atrial preferential conduction routes under normal and abnormal conditions, 2:123-132

Arrhythmias
multiple atrioventricular nodal pathways - A new electrophysiological phenomenon in children, 4:331-338
reduced human ventricular fibrillation threshold associated with contrast-induced Q-T prolongation, 1:105-110
relationship of carotid sinus stimulation to exercise testing, 1:59-72

Arteriography, coronary
reduced human ventricular fibrillation threshold associated with contrast-induced Q-T prolongation, 1:105-110

Atrial
cell
effects of timing of vagal stimulation on the sinoatrial nodal cell discharge, 1:45-52
depolarization
human body surface mapping during, in normal and diseased subjects, 2:151-160
flutter
atrial coronary angiography, tachyarrhythmias and the Ta segment, 4:325-330
preferential conduction routes
function of, under normal and abnormal conditions, 2:123-132

Automatic implantable defibrillator
alterations induced by a single defibrillation shock applied through a chronically implanted catheter electrode, 2:167-180

Automaticity
a possible autonomic modulation of sinus node recovery time in overdrive suppression test, 3:303-306

B

Baroreflex
a possible autonomic modulation of sinus node recovery time in overdrive suppression test, 3:303-306

Baseline shift
signal quality of resting electrocardiograms, 3:235-244

Bayes theorem
electrocardiographic recognition of left atrial enlargement, 1:15-22

Berlin magnetically shielded room
beat to beat surface recording and averaging of His-Purkinje activity in man, 4:355-362

Beta blockage
in asymptomatic diabetics with abnormal rest electrocardiograms, 1:87-90
pre-excitation syndrome and hypertrophic cardiomyopathy, 1:29-40

Block
bundle branch
an electrocardiographic-electrophysiologic correlation of aberrant ventricular conduction in man, 3:269-278
left anterior fascicular
isolated and complicated left anterior fascicular block: A review of suggested electrocardiographic criteria, 2:141-150
three-level
in concealed bigeminy, 2:221
type II, second degree entrance
mechanisms of intermittent ventricular parasystole due to, 1:7-14

Blood pressure
a possible autonomic modulation of sinus node recovery time in overdrive suppression test, 3:303-306

C

Canine QRSsÊ loop
computer analysis of the non-angular parameters of the QRSsÊ loop and orthogonal lead QRS characteristics in necropsy-verified normal dogs, 3:263-268
computer analysis of the spatial angular parameters of the, from necropsy-verified normal dogs, 3:253-262

Cardiac frontal plane vector axes
determination of, 3:323

Cardiac performance
effect of site and intensity of pacing on left ventricular performance, 4:409-416

Cardiac transplant electrophysiology
unusual atrial potentials in a cardiac transplant recipient. Possible synchronization between donor and recipient atria, 3:313-322

Cardiac vector
an optimal method for calculation of the frontal-plane vector from the data of the standard and unipolar limb leads, 4:403-408

Carotid sinus pressure
the relationship of carotid sinus stimulation to exercise testing, 1:59-72

Cell size
the effect of left atrial histology and dimension on P wave morphology, 4:363-366

Children
multiple atrioventricular nodal pathways - A new electrophysiological phenomenon in, 4:331-338
site of conduction delay in children with catheter-induced right bundle branch block, 1:41-44

Circadian rhythms
in dynamic electrocardiography, 4:351-354

Computer
analysis
of the non-angular parameters of the QRSsÊ loop and orthogonal lead QRS characteristics in necropsy-verified normal dogs, 3:263-268
of the spatial angular parameters of the canine QRSsÊ loop from necropsy-verified normal dogs, 3:253-262
prevalence of left ventricular hypertrophy in middle-aged men according to various ECG-VCG techniques, 3:307-312
signal quality of resting electrocardiograms, 3:235-244
the influence of editing on the performance of a computer program for serial comparison of electrocardiograms, 2:181-190
averaging
an advanced non-invasive technique for the recording of His bundle potential in man, 4:397-402
comparative diagnostic performance of the Telemed computer ECG program, 1:97-104
the impact of an ECG computer analysis program on the cardiologist's interpretation, 2:141-150

Concealed extrasystoles
ventricular ectopic beats with exit block: A retrospective Holter monitor study, 2:133-140

Conduction system
fibrosis
coronary angiographic assessment of left posterior hemiblock, 3:297-302
site of conduction delay in children with catheter-induced right bundle branch block, 1:41-44

Congenital heart defects
multiple atrioventricular nodal pathways - A new electrophysiological phenomenon in children, 4:331-338

Contourography
contourographic QT interval measurement, 4:417-418

Coronary artery disease
the effect of maximal treadmill exercise on the axis and amplitude of the ventricular depolarization wave, 2:161-166

Coronary heart disease
post-exercise changes of the Q-T_c interval in, 4:345-350

Cross correlation
non-invasive recording of late ventricular activity using an advanced method in patients with a damaged mass of ventricular tissue, 3:245-252

Cycle length
an electrocardiographic-electrophysiologic correlation of aberrant ventricular conduction in man, 3:269-278

D

Defibrillation
electrophysiologic changes induced by external transthoracic countershock, 2:191-198

Defibrillator-induced damage
alterations induced by a single defibrillating shock applied through a chronically implanted catheter electrode, 2:167-180

Diabetes
beta blockade in asymptomatic diabetics with abnormal rest electrocardiograms, 1:87-90

Divalent cation concentration
correlation between, and electrocardiogram in canine myocardial infarction, 4:379-384

E

Early repolarization syndrome
the electrogenesis of terminal QRS notches in normal subjects, 2:113-122

Echocardiography, two dimensional
significance of high voltage QRS anterior forces in young asymptomatic adults. Evaluation by wide-angle two-dimensional echocardiography, 3:287-296

Einthoven model
an optimal method for calculation of the frontal-plane vector from the data of the standard and unipolar limb leads, 4:403-408

Electrocardiograms
abnormal, resting
beta blockade in asymptomatic diabetics with, 1:87-90
advanced non-invasive technique for the recording of His bundle potential in man, 4:397-402
artifact
signal quality of resting electrocardiogram, 3:235-244
comparative diagnostic performance of the Telemed computer ECG program, 1:97-104
contourographic QT interval measurement, 4:417-418
correlation between divalent cation concentration and, in canine myocardial infarction, 4:379-384
effect of left atrial histology and dimension on P wave morphology, 4:363-366
impact of an ECG computer analysis program on the cardiologist's interpretation, 2:141-150
J wave in accidental hypothermia, 1:23-28
possible role of a ventricular conduction disturbance in the electrogenesis of the ECG-VCG signs of myocardial infarction, 4:385-396
scalar
influence of editing on the performance of a computer program for serial comparison of electrocardiograms, 2:181-190
value of ventricular premature complex (VPC) morphology in the diagnosis of hypertrophic cardiomyopathy, 1:73-76

Electrocardiography
an electrocardiographic-electrophysiologic correlation of aberrant ventricular conduction in man, 3:269-278
an electrocardiographic model of myocardial ischemic injury, 3:223-234
effects of thoracotomy on volume conductor properties of the canine torso, 3:279-286
electrocardiographic recognition of left atrial enlargement, 1:15-22
electrogenesis of terminal QRS notches in normal subjects, 2:113-122
isolated and complicated left anterior fascicular block: A review of suggested electrocardiographic criteria, 2:199-212
on the relationship between Q waves in leads II and AVF and inferior-posterior wall motion abnormalities, 4:367-378
prevalence of left ventricular hypertrophy in middle-aged men according to various ECG-VCG techniques, 3:307-312
prognosis in severe chronic obstructive pulmonary disease with regard to the electrocardiogram, 1:77-86
significance of high voltage QRS anterior forces in young, asymptomatic adults. Evaluation by wide-angle two-dimensional echocardiography, 3:287-296

Electrograms
effects of hyperkalemia on local changes of repolarization duration in canine left ventricle, 1:1-6

Electrophysiology
comparison between electrophysiologic studies and ambulatory monitoring in patients with syncope, 1:91-96
pre-excitation syndrome and hypertrophic cardiomyopathy, 1:29-40
site of conduction delay in children with catheter-induced right bundle branch block, 1:41-44

Entrainment
unusual atrial potentials in a cardiac transplant recipient. Possible synchronization between donor and recipient atria, 3:313-322

Evaluation
the impact of an ECG computer analysis program on the cardiologist's interpretation, 2:141-150

Exercise testing
effect of maximal treadmill exercise on the axis and amplitude of the ventricular depolarization wave, 2:161-166
post-exercise changes of the Q-T_c interval in coronary heart disease, 4:345-350
relationship of carotid sinus stimulation to exercise testing, 1:59-72

F

Fibrosis
the effect of left atrial histology and dimension on P wave morphology, 4:363-366

Fixed coronary stenoses
sudden death in two patients with variant angina and apparently minimal, 2:213-220

H

Heart rate
circadian rhythms in dynamic electrocardiography, 4:351-354

Hemiblocks
coronary angiographic assessment of left posterior hemiblock, 3:297-303

His bundle potential
an advanced non-invasive technique for the recording of His bundle potential in man, 4:397-402

His-Purkinje system
beat to beat surface recording and averaging of His-Purkinje activity in man, 4:355-362
an electrocardiographic-electrophysiologic correlation of aberrant ventricular conduction in man, 3:269-278

Hypertrophic cardiomyopathy
pre-excitation syndrome and, 1:29-40
significance of high voltage QRS anterior forces in young asymptomatic adults. Evaluation by wide angle two-dimensional echocardiography, 3:287-296
value of ventricular premature complex (VPC) morphology in the diagnosis of, 1:73-76

Hypothermia, accidental
J wave in, 1:23-28

I

Interactive ECG acquisition
signal quality of resting electrocardiograms, 3:235-244

Intracardiac catheter
alterations induced by a single defibrillating shock applied through a chronically implanted catheter electrode, 2:167-180

Intracardiac electrograms
site of conduction delay in children with catheter-induced right bundle branch block, 1:41-44

J

J wave
in accidental hypothermia, 1:23-28

L

Late potential
non-invasive recording of late ventricular activity using an advanced method in patients with a damaged mass of ventricular tissue, 3:245-252

Least square method
an optimal method for calculation of the frontal-plane vector from the data of the standard and unipolar limb leads, 4:403-408

Left anterior hemiblock
transient right bundle branch block and, during Prinzmetal's agina, 4:419-422

Left atrial enlargement
electrocardiographic recognition of, 1:15-22

LGL syndrome
pre-excitation syndrome and hypertrophic cardiomyopathy, 1:29-40

M

Mapping
human body surface mapping during atrial depolarization in normal and diseased subjects, 2:151-160
isopotential surface
effects of thoracotomy on volume conductor properties of the canine torso, 3:279-286
the electrogenesis of terminal QRS notches in normal subjects, 2:113-122

McFee axial VCG in dogs
computer analysis of the non-angular parameters of the QRSsÊ loop and orthogonal lead QRS characteristics in necropsy-verified normal dogs, 3:263-268
computer analysis of the spatial angular parameters of the canine QRSsÊ loop from necropsy-verified normal dogs, 3:253-262

Mechanical alternans
effect of site and intensity of pacing on left ventricular performance, 4:409-416

Mitral valve disease
the effect of left atrial histology and dimension on P wave morphology, 4:363-366

Monitor system
real-time measurement of the spatial magnitude of the ST segment with the automated vectorcardiographic ST segment analyzer, 4:339-344

Muscarinic transmission
effects of timing of vagal stimulation on the sino-atrial nodal cell discharge, 1:45-52

Muscle noise, 60 HZ and
signal quality of resting electrocardiograms, 3:235-244

Myocardial infarction
canine
correlation between divalent cation concentration and electrocardiogram in, 4:379-384
coronary angiographic assessment of left posterior hemiblock, 3:297
on the relationship between Q waves in leads II and aVF and inferior-posterior wall motion abnormalities, 4:367-378
possible role of a ventricular conduction disturbance in the electrogenesis of the ECG-VCG signs of, 4:385-396

Myocardial
ischemia
real-time measurement of the spatial magnitude of the ST segment with the automated vectorcardiographic ST segment analyzer, 4:339-344
ischemic injury
an electrocardiographic model of, 3:223-234
injury
electrophysiologic changes induced by external transthoracic counter-shock, 2:191-198

O

Oscillatory potential
effects of timing of vagal stimulation on the sinoatrial nodal cell discharge, 1:45-52

Overdrive suppression
a possible autonomic modulation of sinus node recovery tme in overdrive suppression test, 3:303-306

P

Pacemakers
the relationship of carotid sinus stimulation to exercise testing, 1:59-72

Pacing
intensity
effect of site and intensity of pacing on left ventricular performance, 4:409-416
reduced human ventricular fibrillation threshold associated with contrast-induced Q-T prolongation, 1:105-110

Parasystole
ventricular ectopic beats with exit block: A retrospective Holter monitor study, 2:133-140

Phase dependency
effects of timing of vagal stimulation on the sinoatrial nodal cell discharge, 1:45-52

Physician's editing
the influence of editing on the performance of a computer program for serial comparison of electrocardiograms, 2:181-190

Population survey
prevalence of left ventricular hypertrophy in middle-aged men according to various ECG-VCG techniques, 3:307-312

Pre-excitation syndrome
and hypertrophic cardiomyopathy, 1:29-40

Prinzmetal's angina
transient right bundle branch block and left anterior hemiblock during, 4:419-422

Pulmonary
disease, severe chronic obstructive
prognosis in, with regard to the electrocardiogram, 1:77-86
hypertension
QRS loop areas in selective right ventricular overload: Relation to hemodynamic status, 1:53-58

P wave
effect of left atrial histology and dimension on P wave morphology, 4:363-366
human body surface mapping during atrial depolarization in normal and diseased subjects, 2:151-160

Q

QT
interval
circadian rhythms in dynamic electrocardiography, 4:351-354
contourographic QT interval measurement, 4:417-418
prolongation
reduced human ventricular fibrillation threshold associated with contrast-induced Q-T prolongation, 1:105-110

Q-T_e interval
post-exercise changes of, in coronary heart disease, 4:345-350

Q waves
on the relationship between Q waves in leads II and aVF and inferior-posterior wall motion abnormalities, 4:367-378

R

Reader
the impact of an ECG computer analysis program on the cardiologist's interpretation, 2:141-150

Recovery properties
effects of hyperkalemia on local changes of repolarization duration in canine left ventricle, 1:1-6

Re-entry
relationship between parasystole and,
mechanisms of intermittent ventricular parasystole due to type II second degree entrance block, 1:7-14

Right bundle branch block, transient
and left anterior hemiblock during Prinzmetal's angina, 4:419-422

Right ventricular hypertrophy
QRS loop areas in selective right ventricular overload: Relation to hemodynamic status, 1:53-58

R-on-T phenomenon
reduced human ventricular fibrillation threshold associated with contrast-induced Q-T prolongation, 1:105-110

R wave
the effect of maximal treadmill exercise on the axis and amplitude of the ventricular depolarization wave, 2:161-166
voltage
circadian rhythms in dynamic electrocardiography, 4:351-354

S

Sensitivity
on the relationship between Q waves in leads II and AVF and inferior-posterior wall motion abnormalities, 4:367-378

Signal averaging
non-invasive recording of late ventricular activity using an advanced method in patients with a damaged mass of ventricular tissue, 3:245-252

Sinoatrial node cells
effects of timing of vagal stimulation on the sinoatrial nodal cell discharge, 1:45-52

Sinus
impulse
function of atrial preferential conduction routes under normal and abnormal conditions, 2:123-132
node
a possible autonomic modulation of sinus node recovery time in overdrive suppression test, 3:303-306

ST segment
displacement
circadian rhythms in dynamic electrocardiography, 4:351-354
non-invasive recording of late ventricular activity using an advanced method in patients with a damaged mass of ventricular tissue, 3:245-252
real-time measurement of the spatial magnitude of, with the automated vectorcardiographic ST segment analyzer, 4:339-344

Sudden death
in two patients with variant angina and apparently minimal fixed coronary stenoses, 2:213-220

Surface recording
beat to beat surface recording and averaging of His-Purkinje activity in man, 4:355-362

Syncope
comparison between electrophysiologic studies and ambulatory monitoring in patients with, 1:91-96

T

Ta segment
atrial coronary angiography, tachyarrhythmias and the, 4:325-330

Telemed computer ECG program
comparative diagnostic performance of, 1:97-104

Thoracic surgery
effects of thoracotomy on volume conductor properties of the canine torso, 3:279-286

Transmembrane potential changes
an electrocardiographic model of myocardial ischemic injury, 3:223-234

Transthoracic shock
electrophysiologic changes induced by external thransthoracic counter-shock, 2:191-198

Treadmill tests
the relationship of carotid sinus stimulation to exercise testing, 1:59-72

T wave
effects of hyperkalemia on local changes of repolarization duration in canine left ventricle, 1:1-6
isolated and complicated left anterior fascicular block: A review of suggested electrocardiographic criteria, 2:199-212
voltage
circadian rhythms in dynamic electrocardiography, 4:351-354

V

Vagal stimulation
effects of timing of, on the sinoatrial nodal cell discharge, 1:45-52

Variant angina
sudden death in two patients with, and apparently minimal fixed coronary stenoses, 2:213-220

Vectorcardiogram
canine
computer analysis of the non-angular parameters of the QRSsE loop and orthogonal lead QRS characteristics in necropsy-verified normal dogs, 3:263-268
computer analysis of the spatial angular parameters of the canine QRSsE loop from necropsy-verified normal dogs, 3:253-262
QRS loop areas in selective right ventricular overload: Relation to hemodynamic status, 1:53-58
real-time measurement of the spatial magnitude of the ST segment with the automated vectorcardiographic ST segment analyzer, 4:339-344

Vectorcardiography
prevalence of left ventricular hypertrophy in middle-aged men according to various ECG-VCG techniques, 3:307-312

Ventricular
conduction disturbance
possible role of, in the electrogenesis of the ECG-VCG signs of myocardial infarction, 4:385-396
ectopic beats
with exit block: A retrospective Holter monitor study, 2:133-140
fibrillation
reduced human ventricular fibrillation threshold associated with contrast-induced Q-T prolongation, 1:105-110
parasystole
mechanisms of intermittent ventricular parasystole due to type II second degree entrance block, 1:7-14
premature complex
value of ventricular premature complex (VPC) morphology in the diagnosis of hypertrophic cardiomyopathy, 1:73-76

Wolff-Parkinson-White syndrome
familial, 1:111
pre-excitation syndrome and hypertrophic cardiomyopathy, 1:29-40